

Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
16Th St Co	7,477	3.7	6.2	83.8	0.3	4.7	1.3	0.0
Adams Cty	589	85.4	0.2	7.0	0.2	0.2	7.1	0.0
Ashland Cty	541	78.0	0.4	4.8	5.7	0.4	10.7	0.0
Aurora	4,076	4.9	80.0	5.5	0.2	7.7	1.7	0.0
Barron Cty	1,131	81.7	5.3	10.0	1.1	0.5	1.4	0.0
Bayfield Cty	227	87.2	0.9	3.1	3.1	0.4	5.3	0.0
Beloit	2,090	47.8	15.5	34.1	0.1	0.2	2.3	0.0
Buffalo Cty	301	89.7	0.3	8.6	0.0	0.3	1.0	0.0
Burnett Cty	408	87.7	0.5	2.0	2.0	0.0	7.8	0.0
Calumet Ct	706	63.2	3.3	22.1	0.0	9.1	2.4	0.0
Chippewa C	1,371	91.2	0.3	2.6	0.2	1.3	4.4	0.0
Clark Cty	790	67.1	0.6	29.9	0.1	0.1	2.2	0.0
Columbia C	847	77.1	2.7	14.3	0.4	0.2	5.3	0.0
Crawford Cty	308	89.9	0.0	8.1	0.3	0.0	1.6	0.0
Cudahy	1,762	60.2	5.1	26.0	0.3	1.1	7.3	0.0
Dane Cty	1	*	*	*	*	*	*	*
Dodge Cty	1,389	69.0	0.7	26.1	0.1	0.4	3.7	0.1
Door Cty	501	80.6	2.6	14.4	0.2	0.0	2.2	0.0
Douglas Cty	1,264	78.6	2.2	4.5	1.3	0.6	12.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dunn Cty	887	79.4	0.6	7.3	0.1	9.5	3.2	0.0
Eau Claire	2,400	65.0	1.3	9.2	0.5	13.8	10.0	0.0
Florence C	108	90.7	0.0	7.4	0.9	0.0	0.9	0.0
Fond Du La	2,132	60.9	3.5	25.0	0.0	3.9	6.6	0.0
Forest Cty	241	85.1	0.0	2.9	1.7	0.0	10.4	0.0
GLITC-Bad	103	1.0	0.0	1.9	96.1	0.0	1.0	0.0
GLITC-Bara	64	*	*	*	*	*	*	*
GLITC-BRF	121	3.3	0.0	5.0	86.8	0.0	5.0	0.0
GLITC-CEX	42	*	*	*	*	*	*	*
GLITC-LCO	190	0.5	0.0	2.6	94.7	0.5	1.6	0.0
GLITC-Mole	37	*	*	*	*	*	*	*
GLITC-Pete	338	3.3	0.0	1.2	77.8	0.0	17.8	0.0
GLITC-Pota	77	*	*	*	*	*	*	*
GLITC-Red	137	2.9	0.0	3.6	92.7	0.0	0.7	0.0
GLITC-St.C	151	6.6	0.0	2.6	56.3	0.0	34.4	0.0
GLITC-Stoc	121	15.7	0.0	9.9	66.9	0.8	6.6	0.0
Grant Cty	1,124	91.4	0.8	5.9	0.0	0.4	1.5	0.0
Green Cty	651	78.3	0.8	18.1	0.0	0.6	2.2	0.0
Green Lake	314	69.1	0.3	23.9	0.0	1.9	4.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Greenfield	1,120	57.3	5.2	27.7	0.4	2.2	7.1	0.0
Hlth & Nut	3,671	33.3	18.0	39.0	0.1	0.7	8.9	0.0
Iowa Cty	358	86.3	1.1	9.5	0.0	0.6	2.5	0.0
Iron Cty	108	86.1	0.0	7.4	2.8	0.0	3.7	0.0
Jackson Ct	566	83.9	0.9	8.1	4.6	0.4	2.1	0.0
Janesville	2,199	81.0	3.3	12.5	0.1	1.0	2.0	0.0
Jefferson	1,802	54.2	0.9	42.9	0.1	0.3	1.6	0.0
Juneau	791	88.1	0.8	6.1	0.1	0.4	4.6	0.0
Kenosha	4,433	35.8	16.9	39.5	0.3	0.5	6.9	0.0
Kewaunee C	357	73.4	1.1	22.4	0.3	0.0	2.8	0.0
La Crosse	2,419	64.7	3.6	4.8	0.4	17.0	9.4	0.0
Langlade	489	85.3	0.6	10.6	0.2	0.2	3.1	0.0
Lincoln	464	89.0	0.4	5.2	0.6	0.0	4.7	0.0
Madison WI	7,730	27.4	21.5	35.0	0.3	6.9	8.9	0.0
Manitowoc	1,620	59.2	2.0	22.8	1.0	8.8	6.2	0.0
Marathon	2,906	54.7	1.6	10.1	0.5	26.0	7.1	0.0
Marinette	1,010	93.4	0.2	3.8	0.5	0.0	2.2	0.0
Marquette	262	75.2	0.4	21.8	0.0	0.0	2.7	0.0
Menominee	561	0.4	0.0	13.4	16.8	0.0	69.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
MilwaukeeJ	2,571	13.3	6.7	71.9	0.3	4.3	3.5	0.0
MilwaukeeK	2,188	1.1	91.0	3.8	0.0	2.3	1.7	0.0
MilwaukeeN	3,662	7.5	69.6	7.5	0.1	9.2	6.0	0.0
MilwaukMLK	3,132	2.7	83.4	8.7	0.0	0.3	4.9	0.0
Monroe Cou	1,090	75.2	1.0	17.0	0.8	1.1	4.9	0.0
N.E.W. East	3,211	33.2	5.9	52.8	1.2	4.0	2.8	0.0
N.E.W. West	3,139	54.5	9.0	17.4	2.3	9.9	6.9	0.0
Neenah	1,400	60.4	3.7	23.9	0.2	4.1	7.7	0.0
Oconto Cty	684	91.7	0.3	4.8	0.1	0.4	2.6	0.0
Oneida Cty	615	89.8	1.3	4.1	0.5	0.3	4.1	0.0
Oneida Tri	596	8.7	0.5	21.0	51.8	0.2	17.8	0.0
Oshkosh	1,426	65.1	4.1	10.9	0.3	9.9	9.7	0.0
Outagamie	2,674	58.4	2.8	18.1	0.4	13.2	7.1	0.0
Ozaukee	520	75.2	3.5	13.8	0.0	1.5	6.0	0.0
Pepin	134	81.3	0.7	12.7	1.5	1.5	2.2	0.0
Pierce Cty	719	85.8	1.0	6.5	0.4	0.1	6.1	0.0
Polk Cty	1,031	91.6	0.1	4.5	0.5	0.1	3.3	0.0
Portage Ct	1,243	68.5	0.4	13.4	0.0	15.0	2.7	0.0
Price Cty	465	90.5	0.2	3.7	0.4	2.6	2.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Racine Hea	1,776	14.4	39.0	39.5	0.1	0.2	6.9	0.0
Richland	417	83.5	0.2	13.2	0.2	0.2	2.6	0.0
Rusk Cty	402	88.8	1.2	4.5	0.2	0.5	4.7	0.0
Sauk Cty	1,463	75.1	0.3	21.7	1.0	0.1	1.8	0.0
Sawyer Cty	409	70.4	1.0	5.4	18.8	0.7	3.7	0.0
Seeds Of H	3,271	12.2	3.2	75.2	0.3	2.4	6.7	0.0
Shawano Ct	858	78.7	0.3	9.6	4.9	0.2	6.3	0.0
Sheboygan	2,482	45.4	1.8	27.5	0.1	19.6	5.6	0.0
St. Croix	1,192	81.2	0.9	9.4	0.4	1.8	6.2	0.0
SWCAP	223	76.2	0.4	21.1	0.0	0.0	2.2	0.0
Taylor Cty	460	87.0	0.7	10.0	0.0	0.0	2.4	0.0
Trempealeau	736	57.7	0.3	39.9	0.3	0.1	1.6	0.0
Vernon Cou	736	85.2	0.5	9.5	0.1	0.4	4.2	0.0
Vilas Cty	306	92.8	0.3	4.9	0.0	0.0	2.0	0.0
Walworth C	2,125	46.6	0.9	48.1	0.3	0.6	3.4	0.0
Washburn C	421	84.8	0.2	8.6	0.5	0.5	5.5	0.0
Washington	1,576	76.5	3.0	16.0	0.2	0.6	3.7	0.0
Waukesha C	2,504	53.3	4.6	34.3	0.1	1.7	6.0	0.0
Waupaca Ct	877	85.3	0.0	13.5	0.3	0.0	0.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 4 / 14 / 11

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Waushara	500	57.4	0.2	39.2	0.0	0.4	2.8	0.0
WC Capitol	3,845	7.0	80.5	3.5	0.2	5.0	3.8	0.0
WC North	2,392	3.0	80.3	4.4	0.1	9.1	3.1	0.0
WC Teutonia	2,293	1.0	92.2	3.3	0.0	0.9	2.6	0.0
West Allis	1,563	55.3	8.1	23.4	0.6	1.4	11.2	0.0
Wood Cty	1,519	78.9	0.8	10.9	0.3	3.6	5.5	0.0
Wisconsin	132,729	45.0	18.2	25.1	1.6	4.7	5.5	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
16Th St Co	7,477	29.6	19.7	50.8
Adams Cty	589	30.1	19.9	50.1
Ashland Cty	541	25.0	20.1	54.9
Aurora	4,076	47.6	16.4	35.9
Barron Cty	1,131	38.6	19.0	42.4
Bayfield Cty	227	26.0	23.3	50.7
Beloit	2,090	35.6	19.5	44.8
Buffalo Cty	301	32.9	18.3	48.8
Burnett Cty	408	32.4	19.6	48.0
Calumet Ct	706	27.9	22.9	49.2
Chippewa C	1,371	30.1	23.0	46.8
Clark Cty	790	32.9	19.2	47.8
Columbia C	847	35.9	19.8	44.3
Crawford Cty	308	38.3	16.6	45.1
Cudahy	1,762	32.5	23.7	43.8
Dane Cty	1	*	*	*
Dodge Cty	1,389	33.9	21.0	45.1
Door Cty	501	33.3	19.8	46.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Douglas Cty	1,264	33.8	20.6	45.6
Dunn Cty	887	37.0	17.7	45.3
Eau Claire	2,400	33.6	20.3	46.1
Florence C	108	28.7	25.0	46.3
Fond Du La	2,132	31.0	22.0	47.0
Forest Cty	241	32.8	20.3	46.9
GLITC-Bad	103	31.1	15.5	53.4
GLITC-Bara	64	*	*	*
GLITC-BRF	121	30.6	14.0	55.4
GLITC-CEX	42	*	*	*
GLITC-LCO	190	27.9	26.3	45.8
GLITC-Mole	37	*	*	*
GLITC-Pete	338	31.1	17.8	51.2
GLITC-Pota	77	*	*	*
GLITC-Red	137	27.7	19.7	52.6
GLITC-St.C	151	24.5	17.2	58.3
GLITC-Stoc	121	31.4	12.4	56.2
Grant Cty	1,124	35.9	19.0	45.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 9
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Green Cty	651	34.1	22.1	43.8
Green Lake	314	39.8	19.4	40.8
Greenfield	1,120	33.9	25.9	40.2
Hlth & Nut	3,671	37.7	19.7	42.5
Iowa Cty	358	38.3	16.5	45.3
Iron Cty	108	25.0	33.3	41.7
Jackson Ct	566	33.6	15.9	50.5
Janesville	2,199	38.1	19.7	42.2
Jefferson	1,802	33.0	20.9	46.1
Juneau	791	32.4	18.5	49.2
Kenosha	4,433	35.0	21.8	43.2
Kewaunee C	357	35.3	14.3	50.4
La Crosse	2,419	32.9	21.4	45.8
Langlade	489	33.1	21.1	45.8
Lincoln	464	38.6	18.8	42.7
Madison WI	7,730	35.4	19.6	45.0
Manitowoc	1,620	33.0	18.3	48.7
Marathon	2,906	34.8	20.2	45.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Marinette	1,010	31.8	18.6	49.6
Marquette	262	43.1	16.4	40.5
Menominee	561	25.8	23.2	51.0
MilwaukeeJ	2,571	27.0	21.7	51.3
MilwaukeeK	2,188	29.4	22.7	47.9
MilwaukeeN	3,662	32.2	22.3	45.5
MilwaukMLK	3,132	30.5	22.5	47.0
Monroe Cou	1,090	33.9	19.8	46.2
N.E.W. East	3,211	28.4	21.8	49.8
N.E.W. West	3,139	31.3	22.2	46.5
Neenah	1,400	39.5	19.6	40.9
Oconto Cty	684	35.5	20.3	44.2
Oneida Cty	615	39.8	19.7	40.5
Oneida Tri	596	30.5	24.2	45.3
Oshkosh	1,426	40.8	18.9	40.3
Outagamie	2,674	32.7	22.6	44.7
Ozaukee	520	35.8	21.7	42.5
Pepin	134	39.6	17.9	42.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Pierce Cty	719	34.9	17.5	47.6
Polk Cty	1,031	32.7	20.3	47.0
Portage Ct	1,243	41.7	18.2	40.1
Price Cty	465	30.1	20.0	49.9
Racine Hea	1,776	33.7	19.8	46.5
Richland	417	35.5	18.2	46.3
Rusk Cty	402	36.8	17.9	45.3
Sauk Cty	1,463	39.2	17.4	43.4
Sawyer Cty	409	28.9	18.8	52.3
Seeds Of H	3,271	28.1	19.9	52.0
Shawano Ct	858	25.4	22.7	51.9
Sheboygan	2,482	29.8	22.0	48.3
St. Croix	1,192	36.2	19.2	44.6
SWCAP	223	32.3	16.6	51.1
Taylor Cty	460	33.5	23.0	43.5
Trempealeau	736	33.7	20.9	45.4
Vernon Cou	736	32.7	20.1	47.1
Vilas Cty	306	29.4	21.2	49.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 12
Run Date: 4 / 14 / 11

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Walworth C	2,125	34.3	18.2	47.5
Washburn C	421	32.8	20.0	47.3
Washington	1,576	33.6	20.2	46.2
Waukesha C	2,504	38.8	20.4	40.8
Waupaca Ct	877	36.4	22.2	41.4
Waushara	500	38.0	19.0	43.0
WC Capitol	3,845	35.0	21.2	43.8
WC North	2,392	32.5	20.7	46.9
WC Teutonia	2,293	33.0	18.7	48.3
West Allis	1,563	34.4	21.2	44.4
Wood Cty	1,519	34.2	21.7	44.1
Wisconsin	132,729	33.8	20.4	45.8
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
16Th St Co	1,456	7.1 (22)	7.4 (37)	7,380	4.4 (22)	1.8 (11)	15.4 (79)	3,718	17.9 (59)	17.9 (76)	5,746 8.4 (51)
Adams Cty	98	* *	* *	576	5.6 (51)	2.4 (30)	13.2 (54)	297	21.9 (82)	11.8 (30)	465 4.7 (17)
Ashland Cty	101	8.9 (46)	12.9 (68)	532	6.4 (79)	2.4 (30)	11.3 (28)	298	14.4 (17)	12.8 (39)	436 4.6 (16)
Aurora	1,400	10.6 (61)	3.3 (2)	4,012	5.4 (44)	5.8 (92)	10.3 (14)	1,452	15.4 (30)	9.5 (6)	2,301 29.7 (90)
Barron Cty	284	6.7 (17)	6.0 (16)	1,111	4.2 (20)	3.2 (53)	12.7 (46)	478	17.8 (57)	16.5 (66)	784 7.4 (41)
Bayfield Cty	42	* *	* *	223	4.5 (25)	3.6 (66)	8.1 (4)	114	23.7 (84)	9.6 (8)	178 7.3 (38)
Beloit	489	11.0 (64)	4.5 (11)	2,044	6.7 (86)	2.0 (17)	15.4 (79)	920	21.2 (79)	18.5 (80)	1,500 8.4 (51)
Buffalo Cty	60	* *	* *	299	2.7 (6)	3.3 (56)	7.0 (2)	151	19.2 (68)	8.6 (5)	226 6.2 (30)
Burnett Cty	82	* *	* *	405	5.7 (55)	2.2 (21)	6.9 (1)	193	15.0 (23)	7.3 (2)	314 1.9 (5)
Calumet Ct	150	6.0 (10)	8.7 (49)	695	6.3 (73)	2.7 (41)	10.1 (10)	334	16.5 (42)	12.6 (38)	536 5.4 (22)
Chippewa C	299	7.7 (30)	6.4 (21)	1,354	5.8 (58)	2.7 (41)	12.0 (34)	639	17.1 (47)	11.1 (22)	1,038 11.3 (72)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 14
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Clark Cty	152	5.9 (8)	9.2 (56)	780	4.6 (26)	4.1 (74)	11.9 (33)	376	13.6 (10)	16.2 (64)	589 11.5 (73)
Columbia C	180	8.3 (41)	8.3 (43)	833	6.6 (85)	3.1 (50)	10.9 (24)	372	15.1 (24)	12.4 (34)	616 8.8 (53)
Crawford Cty	62	* *	* *	304	7.6 (90)	5.3 (87)	10.2 (12)	142	13.4 (9)	11.3 (25)	232 11.2 (70)
Cudahy	432	8.8 (45)	8.8 (51)	1,719	5.3 (41)	3.7 (69)	9.1 (6)	767	15.9 (38)	11.0 (21)	1,269 12.6 (76)
Dodge Cty	321	10.3 (60)	5.9 (14)	1,363	6.1 (66)	4.0 (72)	12.0 (34)	628	9.7 (2)	9.9 (10)	1,007 4.9 (20)
Door Cty	102	7.8 (33)	9.8 (61)	497	3.0 (8)	2.2 (21)	9.7 (8)	232	19.0 (67)	10.8 (19)	375 5.6 (26)
Douglas Cty	276	9.1 (49)	9.1 (53)	1,247	5.1 (36)	2.4 (30)	14.2 (67)	569	19.2 (68)	16.7 (69)	872 14.9 (82)
Dunn Cty	218	6.0 (10)	11.0 (66)	873	6.3 (73)	4.1 (74)	12.4 (41)	395	17.7 (56)	12.4 (34)	624 3.2 (9)
Eau Claire	521	8.1 (38)	7.7 (41)	2,356	6.4 (79)	2.6 (39)	12.8 (48)	1,090	16.0 (40)	13.2 (43)	1,792 12.6 (76)
Florence C	19	* *	* *	106	5.7 (55)	1.9 (15)	12.3 (40)	49	* *	* *	82 * *
Fond Du La	443	9.9 (58)	7.2 (34)	2,080	5.0 (33)	3.4 (61)	10.4 (16)	983	13.9 (14)	10.5 (17)	1,620 6.7 (33)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Forest Cty	58	* *	* *	233	1.3 (2)	3.9 (71)	16.3 (82)	113	11.5 (3)	18.6 (81)		163	6.7 (33)
GLITC-Bad	18	* *	* *	99	* *	* *	* *	51	* *	* *		83	* *
GLITC-Bara	21	* *	* *	61	* *	* *	* *	28	* *	* *		42	* *
GLITC-BRF	26	* *	* *	113	4.4 (22)	3.5 (65)	18.6 (86)	63	* *	* *		91	* *
GLITC-CEX	6	* *	* *	42	* *	* *	* *	23	* *	* *		35	* *
GLITC-LCO	45	* *	* *	187	2.1 (4)	3.7 (69)	24.1 (92)	83	* *	* *		140	19.3 (87)
GLITC-Mole	9	* *	* *	35	* *	* *	* *	20	* *	* *		27	* *
GLITC-Pete	66	* *	* *	322	5.0 (33)	1.6 (8)	28.9 (95)	168	23.2 (83)	33.9 (86)		198	6.1 (28)
GLITC-Pota	17	* *	* *	71	* *	* *	* *	36	* *	* *		45	* *
GLITC-Red	27	* *	* *	129	0.8 (1)	11.6 (95)	20.9 (90)	66	* *	* *		106	15.1 (83)
GLITC-St.C	23	* *	* *	146	2.1 (4)	2.1 (19)	22.6 (91)	86	* *	* *		122	14.8 (81)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 16
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC-Stoc	19	* *	* *	116	9.5 (95)	3.4 (61)	25.9 (94)	65	* *	* *		87	* *
Grant Cty	257	9.3 (51)	10.1 (62)	1,104	6.3 (73)	3.3 (56)	12.2 (39)	498	19.5 (71)	11.4 (26)		820	4.8 (19)
Green Cty	150	8.7 (44)	3.3 (2)	634	5.7 (55)	2.5 (36)	14.4 (71)	283	14.8 (21)	15.5 (61)		451	9.3 (57)
Green Lake	78	* *	* *	302	5.3 (41)	3.6 (66)	13.2 (54)	123	15.4 (30)	12.2 (33)		217	8.3 (50)
Greenfield	304	9.9 (58)	7.6 (40)	1,096	6.4 (79)	4.3 (79)	10.5 (19)	440	12.5 (7)	11.1 (22)		789	11.2 (70)
Hlth & Nut	886	7.7 (30)	6.9 (28)	3,595	6.2 (68)	3.3 (56)	13.6 (60)	1,568	17.2 (51)	13.7 (47)		2,678	7.3 (38)
Iowa Cty	85	* *	* *	348	5.5 (46)	1.4 (5)	12.4 (41)	155	18.1 (60)	14.2 (50)		247	7.3 (38)
Iron Cty	21	* *	* *	107	5.6 (51)	4.7 (83)	10.3 (14)	45	* *	* *		86	* *
Jackson Ct	109	6.4 (13)	10.1 (62)	556	6.5 (84)	1.8 (11)	14.0 (65)	276	20.3 (78)	13.4 (44)		395	7.8 (46)
Janesville	575	9.0 (47)	8.3 (43)	2,171	5.6 (51)	2.3 (24)	13.5 (58)	925	19.8 (76)	16.6 (67)		1,504	6.8 (35)
Jefferson	384	7.0 (20)	8.6 (46)	1,768	4.0 (18)	3.3 (56)	10.5 (19)	804	18.2 (61)	14.2 (50)		1,335	4.7 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight								Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Juneau	151	4.6 (4)	10.6 (65)	776	6.2 (68)	1.7 (9)	13.5 (58)	384	21.4 (80)	12.8 (39)		603	6.8 (35)
Kenosha	1,045	8.3 (41)	6.7 (26)	4,352	6.1 (66)	2.6 (39)	13.4 (57)	1,890	15.9 (38)	14.4 (53)		3,124	9.7 (62)
Kewaunee C	69	* *	* *	347	3.5 (11)	1.4 (5)	20.5 (89)	166	19.9 (77)	20.5 (83)		269	10.0 (66)
La Crosse	587	7.2 (23)	7.3 (35)	2,373	6.4 (79)	5.6 (91)	11.7 (32)	1,097	17.2 (51)	13.1 (42)		1,764	8.9 (54)
Langlade	114	7.9 (35)	7.0 (29)	472	4.7 (30)	2.8 (44)	13.1 (53)	222	12.2 (5)	16.7 (69)		365	11.5 (73)
Lincoln	115	9.6 (55)	6.1 (17)	454	5.9 (61)	1.3 (3)	16.5 (83)	192	15.6 (34)	16.7 (69)		343	9.9 (65)
Madison WI	1,775	8.2 (39)	8.6 (46)	7,586	5.3 (41)	2.4 (30)	12.8 (48)	3,447	15.1 (24)	13.4 (44)		5,582	10.5 (67)
Manitowoc	327	7.6 (28)	7.0 (29)	1,596	5.5 (46)	3.3 (56)	15.2 (78)	789	17.1 (47)	19.0 (82)		1,194	5.9 (27)
Marathon	675	6.8 (18)	5.0 (13)	2,852	7.9 (91)	2.3 (24)	13.8 (63)	1,302	17.6 (55)	11.7 (28)		2,190	8.9 (54)
Marinette	212	7.5 (27)	9.4 (59)	991	3.7 (16)	8.3 (94)	9.2 (7)	494	8.1 (1)	5.9 (1)		748	2.3 (6)
Marquette	62	* *	* *	256	3.1 (9)	2.7 (41)	18.4 (84)	108	14.8 (21)	16.7 (69)		176	7.4 (41)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 18
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	118	5.9 (8)	13.6 (69)	549	2.7 (6)	0.9 (1)	20.2 (88)	277	24.2 (85)	20.9 (84)		422	3.8 (11)
MilwaukeeJ	479	7.3 (25)	6.3 (20)	2,513	5.9 (61)	3.0 (49)	15.8 (81)	1,293	15.4 (30)	16.6 (67)		2,037	7.8 (46)
MilwaukeeK	457	14.9 (68)	4.2 (8)	2,139	7.2 (89)	4.5 (81)	10.1 (10)	1,056	15.7 (35)	9.8 (9)		1,690	17.5 (86)
MilwaukeeN	835	9.0 (47)	4.4 (9)	3,577	6.2 (68)	4.4 (80)	11.0 (26)	1,650	12.3 (6)	11.1 (22)		2,741	15.5 (84)
MilwaukMLK	681	15.6 (69)	4.4 (9)	3,063	6.3 (73)	5.0 (84)	10.8 (22)	1,471	14.3 (16)	12.1 (32)		2,374	24.3 (89)
Monroe Cou	224	8.0 (37)	8.0 (42)	1,076	5.9 (61)	1.3 (3)	18.5 (85)	495	15.8 (36)	18.0 (78)		804	3.9 (12)
N.E.W. East	691	6.5 (15)	6.1 (17)	3,131	4.7 (30)	3.2 (53)	15.0 (76)	1,574	19.6 (72)	18.4 (79)		2,444	5.5 (24)
N.E.W. West	709	8.2 (39)	7.5 (38)	3,049	6.8 (88)	2.0 (17)	14.8 (73)	1,425	17.1 (47)	14.7 (56)		2,348	7.1 (37)
Neenah	336	9.5 (53)	4.5 (11)	1,380	6.3 (73)	1.0 (2)	14.9 (74)	572	17.8 (57)	16.4 (65)		986	10.5 (67)
Oconto Cty	161	6.8 (18)	9.3 (58)	673	3.6 (14)	3.1 (50)	14.1 (66)	298	18.8 (65)	16.8 (73)		487	9.4 (60)
Oneida Cty	156	11.5 (65)	7.1 (32)	610	6.7 (86)	2.8 (44)	7.5 (3)	246	13.0 (8)	8.1 (3)		428	1.4 (1)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 19
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Oneida Tri	153	6.5 (15)	9.2 (56)	582	8.1 (92)	1.5 (7)	25.8 (93)	270	26.3 (86)	43.3 (87)	422 1.4 (1)
Oshkosh	366	9.8 (57)	7.1 (32)	1,402	6.0 (65)	2.1 (19)	12.4 (41)	581	12.0 (4)	10.8 (19)	988 10.5 (67)
Outagamie	674	8.3 (41)	7.3 (35)	2,593	3.6 (14)	5.2 (85)	10.7 (21)	1,187	17.4 (53)	13.6 (46)	1,742 5.5 (24)
Ozaukee	115	3.5 (2)	8.7 (49)	512	6.3 (73)	2.9 (47)	11.3 (28)	222	14.4 (17)	8.1 (3)	387 9.3 (57)
Pepin	20	* *	* *	132	1.5 (3)	2.3 (24)	14.4 (71)	54	* *	* *	99 * *
Pierce Cty	171	7.0 (20)	9.4 (59)	705	5.1 (36)	1.8 (11)	12.9 (50)	332	15.1 (24)	11.7 (28)	522 11.9 (75)
Polk Cty	215	7.4 (26)	12.1 (67)	1,013	3.5 (11)	4.1 (74)	10.4 (16)	477	13.6 (10)	10.1 (12)	766 7.4 (41)
Portage Ct	316	7.9 (35)	6.6 (23)	1,222	4.9 (32)	3.6 (66)	11.0 (26)	488	14.5 (19)	10.2 (14)	876 2.7 (8)
Price Cty	78	* *	* *	458	4.6 (26)	4.1 (74)	12.0 (34)	226	16.8 (44)	12.4 (34)	367 3.3 (10)
Racine Hea	388	9.5 (53)	3.6 (4)	1,731	4.6 (26)	3.4 (61)	10.9 (24)	812	13.8 (13)	10.7 (18)	1,324 14.2 (79)
Richland	89	* *	* *	409	4.6 (26)	3.2 (53)	13.7 (61)	182	18.7 (64)	15.4 (59)	308 9.7 (62)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 20
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Rusk Cty	85	* *	* *	395	5.1 (36)	5.3 (87)	12.9 (50)	180	19.4 (70)	15.0 (57)		297	8.1 (49)
Sauk Cty	349	6.0 (10)	8.3 (43)	1,434	4.3 (21)	2.5 (36)	13.7 (61)	616	18.8 (65)	17.0 (74)		1,035	2.6 (7)
Sawyer Cty	74	* *	* *	404	3.2 (10)	5.2 (85)	9.9 (9)	199	14.6 (20)	10.1 (12)		319	4.1 (13)
Seeds Of H	661	7.7 (30)	8.6 (46)	3,225	3.8 (17)	2.4 (30)	13.8 (63)	1,658	19.7 (74)	17.0 (74)		2,506	14.6 (80)
Shawano Ct	175	10.9 (62)	4.0 (6)	840	6.2 (68)	2.5 (36)	12.7 (46)	442	15.2 (27)	12.4 (34)		668	6.3 (31)
Sheboygan	587	7.2 (23)	8.9 (52)	2,410	5.8 (58)	5.9 (93)	12.4 (41)	1,181	17.5 (54)	14.5 (55)		1,824	4.3 (14)
St. Croix	283	6.4 (13)	10.2 (64)	1,173	5.4 (44)	3.1 (50)	10.4 (16)	534	16.7 (43)	14.2 (50)		841	6.1 (28)
SWCAP	44	* *	* *	222	5.0 (33)	1.8 (11)	14.9 (74)	112	19.6 (72)	17.9 (76)		175	8.0 (48)
Taylor Cty	110	5.5 (7)	9.1 (53)	451	4.0 (18)	5.5 (90)	8.9 (5)	208	21.6 (81)	11.5 (27)		329	1.5 (4)
Trempealeau	164	4.9 (5)	6.1 (17)	727	5.5 (46)	2.9 (47)	12.4 (41)	331	16.9 (46)	15.4 (59)		523	9.6 (61)
Vernon Cou	146	2.7 (1)	7.5 (38)	725	5.1 (36)	2.3 (24)	12.1 (38)	333	16.8 (44)	14.4 (53)		545	5.0 (21)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 21
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Vilas Cty	56	* *	* *	295	5.8 (58)	4.1 (74)	11.5 (30)	147	13.6 (10)	9.5 (6)		218	1.4 (1)
Walworth C	461	9.1 (49)	5.9 (14)	2,081	6.4 (79)	2.8 (44)	14.3 (70)	974	15.8 (36)	15.5 (61)		1,581	8.9 (54)
Washburn C	86	* *	* *	416	9.1 (94)	3.4 (61)	19.2 (87)	197	27.4 (87)	23.4 (85)		312	5.4 (22)
Washington	361	7.8 (33)	6.6 (23)	1,548	5.5 (46)	2.3 (24)	10.8 (22)	710	14.1 (15)	9.9 (10)		1,157	7.4 (41)
Waukesha C	640	9.4 (52)	7.0 (29)	2,457	6.2 (68)	2.4 (30)	15.0 (76)	1,003	15.4 (30)	13.7 (47)		1,632	6.4 (32)
Waupaca Ct	211	7.6 (28)	6.6 (23)	857	4.4 (22)	4.0 (72)	12.0 (34)	349	15.2 (27)	10.3 (15)		624	4.3 (14)
Waushara	118	4.2 (3)	6.8 (27)	485	5.6 (51)	4.5 (81)	14.2 (67)	213	18.3 (62)	14.1 (49)		353	9.3 (57)
WC Capitol	866	10.9 (62)	4.0 (6)	3,777	5.9 (61)	2.2 (21)	13.0 (52)	1,650	16.3 (41)	10.4 (16)		2,775	21.3 (88)
WC North	504	14.7 (67)	3.6 (4)	2,360	5.5 (46)	1.9 (15)	13.3 (56)	1,109	17.1 (47)	13.0 (41)		1,782	16.5 (85)
WC Teutonia	454	14.3 (66)	3.1 (1)	2,256	8.5 (93)	1.7 (9)	14.2 (67)	1,087	19.7 (74)	16.1 (63)		1,740	14.0 (78)
West Allis	359	9.7 (56)	6.4 (21)	1,533	3.5 (11)	2.3 (24)	11.5 (30)	692	18.5 (63)	15.2 (58)		1,128	9.8 (64)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 22
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Wood Cty	363	5.0 (6)	9.1 (53)	1,499	5.2 (40)	5.3 (87)	10.2 (12)	655	15.3 (29)	11.9 (31)		1,074	7.5 (45)
Wisconsin	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1		96,621	10.0
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7		5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 23
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
16Th St Co	1,456	85.4 (1)	774	39.3 (2)	1,182	20.6 (2)	580	15.9 (28)	772	8.9 (26)	4,049	81.6 (63)	7,452	3.6 (9)
Adams Cty	98	* *	63	* *	80	* *	42	* *	63	* *	330	78.5 (74)	584	18.5 (96)
Ashland Cty	102	76.5 (19)	56	* *	85	* *	39	* *	56	* *	313	90.7 (7)	541	7.4 (61)
Aurora	1,400	31.0 (69)	379	13.2 (43)	558	5.4 (52)	257	9.7 (33)	379	4.2 (41)	1,541	79.9 (69)	4,073	11.9 (87)
Barron Cty	287	72.5 (28)	119	27.7 (19)	136	8.1 (48)	106	19.8 (17)	119	5.9 (33)	519	82.3 (58)	1,121	4.7 (23)
Bayfield Cty	43	* *	23	* *	32	* *	17	* *	23	* *	127	87.4 (30)	226	5.3 (28)
Beloit	491	64.6 (55)	213	26.8 (23)	311	13.5 (22)	165	12.1 (32)	213	5.6 (35)	982	78.3 (76)	2,070	5.0 (25)
Buffalo Cty	60	* *	26	* *	42	* *	18	* *	26	* *	154	94.2 (3)	301	7.3 (60)
Burnett Cty	83	* *	45	* *	69	* *	37	* *	45	* *	202	93.6 (4)	406	8.1 (74)
Calumet Ct	150	77.3 (17)	70	* *	112	13.4 (23)	53	* *	69	* *	363	82.6 (55)	703	6.0 (40)
Chippewa C	301	72.1 (31)	140	20.7 (35)	201	10.0 (40)	96	* *	140	7.1 (32)	695	85.6 (41)	1,369	5.6 (32)
Clark Cty	149	77.9 (15)	80	* *	111	12.6 (29)	66	* *	80	* *	413	88.1 (24)	788	5.1 (27)
Columbia C	179	77.1 (18)	92	* *	108	22.2 (1)	66	* *	92	* *	392	84.4 (47)	845	6.7 (51)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 24
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Crawford Cty	63	* *	43	* *	45	* *	34	* *	43	* *	149	86.6 (32)
Cudahy	435	65.7 (51)	189	24.9 (28)	283	8.1 (48)	116	19.0 (19)	189	5.8 (34)	827	73.5 (84)
Dodge Cty	319	83.4 (3)	134	35.8 (5)	197	17.8 (9)	118	34.7 (1)	134	11.2 (10)	675	90.7 (7)
Door Cty	102	68.6 (40)	62	* *	83	* *	47	* *	62	* *	247	83.4 (52)
Douglas Cty	275	74.5 (21)	130	29.2 (14)	207	8.7 (45)	117	28.2 (6)	130	15.4 (4)	613	80.4 (66)
Dunn Cty	220	66.4 (49)	97	* *	106	12.3 (35)	87	* *	97	* *	420	86.4 (35)
Eau Claire	520	72.5 (28)	252	24.2 (30)	375	10.7 (37)	190	24.2 (10)	252	9.1 (24)	1,178	89.1 (15)
Florence C	19	* *	13	* *	24	* *	7	* *	13	* *	52	* *
Fond Du La	447	69.4 (39)	247	30.4 (13)	347	14.1 (18)	183	28.4 (5)	246	9.8 (17)	1,059	86.5 (34)
Forest Cty	58	* *	16	* *	28	* *	17	* *	16	* *	123	90.2 (12)
GLITC-Bad	18	* *	11	* *	12	* *	6	* *	11	* *	60	* *
GLITC-Bara	21	* *	5	* *	9	* *	9	* *	5	* *	31	* *
GLITC-BRF	26	* *	8	* *	12	* *	7	* *	8	* *	71	* *
											121	9.9 (83)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 25
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
Clinic	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number	% (Rank)
GLITC-CEX	6	* *	7 * *	7 * *	5 * *	7 * *	25 * *	42	* *
GLITC-LCO	45	* *	9 * *	30 * *	9 * *	9 * *	47 * *	187	0.0 (1)
GLITC-Mole	9	* *	2 * *	2 * *	6 * *	2 * *	22 * *	37	* *
GLITC-Pete	66	* *	25 * *	42 * *	22 * *	25 * *	176 92.6 (5)	330	7.9 (71)
GLITC-Pota	17	* *	5 * *	7 * *	8 * *	5 * *	42 * *	76	* *
GLITC-Red	26	* *	12 * *	19 * *	8 * *	12 * *	76 * *	135	5.9 (38)
GLITC-St.C	23	* *	9 * *	22 * *	5 * *	9 * *	48 * *	149	5.4 (30)
GLITC-Stoc	19	* *	14 * *	11 * *	7 * *	14 * *	71 * *	121	7.4 (61)
Grant Cty	258	70.5 (36)	125 23.2 (32)	134 14.9 (14)	97 * *	123 9.8 (17)	546 85.2 (42)	1,118	7.1 (56)
Green Cty	152	78.9 (11)	66 * *	102 15.7 (13)	59 * *	66 * *	298 92.6 (5)	647	9.3 (79)
Green Lake	81	* *	34 * *	49 * *	25 * *	34 * *	137 84.7 (46)	309	6.8 (53)
Greenfield	307	68.1 (43)	127 16.5 (40)	204 8.3 (47)	99 * *	126 10.3 (14)	480 78.3 (76)	1,115	7.4 (61)
Hlth & Nut	885	66.6 (48)	387 19.9 (38)	463 12.7 (28)	262 9.2 (34)	387 5.2 (38)	1,682 88.2 (22)	3,652	7.5 (64)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 26
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Iowa Cty	85	* *	43	* *	47	* *	36	* *	43	* *	168	88.1 (24)
Iron Cty	21	* *	13	* *	23	* *	9	* *	13	* *	50	* *
Jackson Ct	108	78.7 (12)	57	* *	64	* *	51	* *	57	* *	300	89.0 (18)
Janesville	578	64.9 (54)	211	28.0 (17)	323	13.0 (26)	159	18.2 (25)	210	9.5 (21)	1,001	82.8 (53)
Jefferson	385	77.4 (16)	216	27.8 (18)	289	13.1 (24)	153	19.0 (19)	216	7.9 (31)	886	88.0 (26)
Juneau	152	79.6 (10)	82	* *	99	* *	69	* *	81	* *	408	80.1 (68)
Kenosha	1,039	61.6 (59)	442	20.4 (36)	747	9.1 (43)	302	20.9 (14)	439	5.0 (39)	2,017	81.8 (60)
Kewaunee C	69	* *	40	* *	52	* *	29	* *	40	* *	188	69.1 (86)
La Crosse	581	65.1 (52)	252	25.8 (25)	336	13.1 (24)	207	23.2 (11)	252	11.9 (8)	1,175	87.5 (28)
Langlade	114	68.4 (42)	45	* *	59	* *	42	* *	45	* *	243	86.0 (36)
Lincoln	115	59.1 (64)	54	* *	61	* *	44	* *	54	* *	209	88.5 (21)
Madison WI	1,776	80.4 (7)	813	39.5 (1)	1,112	20.0 (4)	713	19.2 (18)	813	9.3 (22)	3,712	83.5 (50)
Manitowoc	326	62.9 (58)	148	27.0 (22)	219	14.6 (16)	118	20.3 (16)	148	15.5 (3)	838	76.7 (81)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 27
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Marathon	677	59.8 (62)	348	20.4 (36)	380	10.8 (36)	259	20.5 (15)	348	9.8 (17)	1,387	82.5 (56)	2,893	4.2 (16)
Marinette	213	67.1 (46)	103	19.4 (39)	146	4.1 (57)	65	* *	100	11.0 (11)	524	88.2 (22)	1,002	7.5 (64)
Marquette	62	* *	34	* *	35	* *	35	* *	34	* *	116	78.4 (75)	262	14.9 (94)
Menominee	118	72.9 (26)	53	* *	81	* *	53	* *	53	* *	303	94.4 (2)	561	7.8 (70)
MilwaukeeJ	487	74.1 (23)	250	31.2 (12)	357	20.2 (3)	176	15.3 (29)	250	5.6 (35)	1,413	79.3 (71)	2,562	5.4 (30)
MilwaukeeK	460	56.7 (66)	210	6.2 (46)	329	5.2 (53)	131	8.4 (36)	210	3.3 (42)	1,129	74.4 (83)	2,182	14.2 (92)
MilwaukeeN	841	60.3 (61)	407	10.6 (45)	566	5.7 (51)	262	8.0 (38)	405	2.7 (44)	1,777	75.2 (82)	3,654	9.9 (83)
MilwaukMLK	689	56.7 (66)	342	12.6 (44)	518	5.2 (53)	215	8.4 (36)	340	2.4 (45)	1,558	72.8 (85)	3,110	17.6 (95)
Monroe Cou	226	70.8 (35)	110	29.1 (15)	158	13.9 (19)	77	* *	109	10.1 (15)	537	82.7 (54)	1,085	7.9 (71)
N.E.W. East	695	70.5 (36)	307	26.4 (24)	486	15.8 (12)	220	16.8 (26)	305	9.2 (23)	1,700	78.7 (72)	3,204	4.1 (13)
N.E.W. West	728	66.3 (50)	346	21.7 (34)	474	8.6 (46)	268	14.9 (30)	345	8.1 (30)	1,503	80.2 (67)	3,111	9.2 (78)
Neenah	334	71.6 (32)	134	32.1 (9)	201	12.9 (27)	110	30.0 (3)	134	10.4 (13)	606	77.7 (78)	1,398	4.6 (22)
Oconto Cty	160	59.4 (63)	74	* *	109	9.2 (42)	44	* *	74	* *	317	79.8 (70)	684	12.3 (90)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 28
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Oneida Cty	156	66.7 (47)	70	* *	90	* *	42	* *	70	* *	261	90.4 (10)	612	7.7 (67)
Oneida Tri	153	68.6 (40)	50	* *	95	* *	31	* *	50	* *	284	86.6 (32)	595	6.6 (50)
Oshkosh	366	71.0 (34)	165	24.8 (29)	201	9.0 (44)	135	18.5 (24)	165	9.1 (24)	601	86.7 (31)	1,423	4.1 (13)
Outagamie	681	69.6 (38)	290	27.6 (21)	415	13.7 (20)	222	21.2 (13)	290	10.7 (12)	1,174	84.8 (45)	2,651	4.5 (21)
Ozaukee	114	80.7 (6)	67	* *	80	* *	65	* *	66	* *	236	88.6 (20)	517	2.7 (3)
Pepin	20	* *	17	* *	24	* *	13	* *	17	* *	59	* *	134	3.0 (6)
Pierce Cty	172	73.3 (25)	70	* *	101	18.8 (7)	60	* *	70	* *	364	95.3 (1)	716	5.6 (32)
Polk Cty	213	81.2 (5)	136	31.6 (10)	145	14.5 (17)	109	26.6 (8)	136	14.0 (6)	508	82.5 (56)	1,028	5.8 (36)
Portage Ct	313	72.2 (30)	145	25.5 (27)	172	19.8 (5)	121	19.0 (19)	142	9.9 (16)	535	88.8 (19)	1,238	3.7 (11)
Price Cty	78	* *	47	* *	58	* *	35	* *	47	* *	251	81.7 (62)	465	7.7 (67)
Racine Hea	390	57.2 (65)	171	24.0 (31)	220	10.5 (38)	126	12.7 (31)	168	8.3 (29)	888	85.8 (39)	1,768	13.9 (91)
Richland	88	* *	45	* *	65	* *	39	* *	45	* *	204	83.8 (49)	414	6.0 (40)
Rusk Cty	86	* *	40	* *	68	* *	35	* *	40	* *	188	89.4 (13)	402	9.5 (80)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 29
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Sauk Cty	348	83.6 (2)	168	36.3 (4)	200	18.0 (8)	158	27.8 (7)	168	11.3 (9)
Sawyer Cty	74	* *	38	* *	59	* *	29	* *	38	* *
Seeds Of H	660	72.7 (27)	278	27.7 (19)	485	12.4 (33)	200	16.0 (27)	278	5.4 (37)
Shawano Ct	175	61.1 (60)	69	* *	127	12.6 (29)	48	* *	69	* *
Sheboygan	587	74.4 (22)	221	25.8 (25)	387	10.3 (39)	169	18.9 (22)	221	8.6 (28)
St. Croix	282	79.8 (9)	114	34.2 (7)	159	12.6 (29)	96	* *	114	15.8 (2)
SWCAP	44	* *	24	* *	23	* *	19	* *	24	* *
Taylor Cty	109	78.0 (14)	52	* *	62	* *	34	* *	52	* *
Trempealeau	164	79.9 (8)	63	* *	107	16.8 (11)	54	* *	63	* *
Vernon Cou	146	75.3 (20)	67	* *	110	19.1 (6)	53	* *	67	* *
Vilas Cty	56	* *	23	* *	44	* *	17	* *	23	* *
Walworth C	464	82.1 (4)	216	35.2 (6)	261	14.9 (14)	192	29.7 (4)	216	9.7 (20)
Washburn C	86	* *	54	* *	59	* *	39	* *	54	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 31
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
16Th St Co	4,419	6.7 (16)	8.3 (44)	21,677	6.1 (79)	1.4 (3)	18.8 (89)	10,865	20.5 (86)	21.8 (90)	16,842	10.9 (67)	
Adams Cty	363	9.4 (71)	13.5 (86)	1,744	6.2 (81)	2.5 (25)	14.3 (67)	860	18.3 (70)	13.0 (42)	1,350	5.9 (28)	
Ashland Cty	326	6.7 (16)	10.1 (73)	1,638	6.0 (75)	2.7 (35)	11.7 (31)	846	14.4 (15)	12.1 (29)	1,305	6.4 (32)	
Aurora	4,538	10.6 (82)	3.8 (3)	12,306	4.8 (38)	6.4 (97)	9.7 (6)	4,403	14.9 (23)	10.2 (9)	6,796	30.5 (98)	
Barron Cty	817	6.9 (22)	8.7 (52)	3,398	4.4 (26)	3.1 (50)	12.2 (39)	1,476	17.0 (49)	14.8 (63)	2,457	8.9 (53)	
Bayfield Cty	150	6.7 (16)	12.0 (82)	710	3.8 (15)	3.1 (50)	10.3 (12)	342	19.6 (83)	11.7 (22)	545	9.0 (54)	
Beloit	1,502	8.9 (62)	5.4 (10)	6,189	5.6 (53)	2.5 (25)	15.8 (83)	2,739	18.4 (73)	17.1 (78)	4,494	8.5 (48)	
Buffalo Cty	187	10.2 (79)	6.4 (14)	846	3.4 (11)	3.4 (64)	9.1 (5)	400	16.5 (40)	11.3 (15)	632	9.0 (54)	
Burnett Cty	268	7.5 (38)	7.8 (34)	1,204	5.1 (44)	2.7 (35)	8.6 (1)	561	15.0 (24)	8.4 (3)	918	2.5 (2)	
Calumet Ct	448	7.6 (40)	7.6 (29)	2,012	6.3 (84)	4.0 (79)	11.0 (18)	953	17.0 (49)	13.7 (53)	1,536	4.9 (19)	
Chippewa C	955	7.4 (36)	7.4 (25)	4,166	6.5 (91)	2.4 (22)	12.2 (39)	1,955	17.4 (57)	11.8 (24)	3,160	11.1 (72)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clark Cty	516	7.9 (51)	8.9 (57)	2,394	4.9 (40)	3.1 (50)	12.2 (39)	1,139	17.2 (54)	12.6 (38)	1,782	13.1 (82)
Columbia C	606	7.8 (45)	9.4 (69)	2,555	5.9 (68)	3.5 (68)	10.1 (9)	1,097	16.9 (47)	11.9 (25)	1,847	8.4 (46)
Crawford Cty	225	8.9 (62)	9.3 (66)	949	6.2 (81)	3.8 (76)	10.1 (9)	429	14.2 (13)	12.1 (29)	698	10.9 (67)
Cudahy	1,331	8.2 (56)	9.0 (58)	5,074	5.4 (47)	3.3 (60)	11.3 (22)	2,189	16.3 (36)	12.7 (39)	3,699	13.2 (83)
Dane Cty	0	* *	* *	4	* *	* *	* *	0	* *	* *	6	* *
Dodge Cty	980	7.7 (42)	7.3 (22)	4,081	5.5 (50)	4.3 (84)	11.1 (19)	1,860	10.9 (2)	8.5 (4)	3,000	5.3 (22)
Door Cty	356	8.1 (55)	8.7 (52)	1,491	3.6 (13)	4.2 (83)	8.8 (3)	692	17.5 (58)	12.1 (29)	1,088	4.4 (16)
Douglas Cty	857	6.9 (22)	11.1 (78)	3,744	4.5 (29)	2.8 (38)	14.1 (63)	1,648	20.0 (84)	16.3 (72)	2,587	14.2 (86)
Dunn Cty	617	6.8 (20)	9.9 (72)	2,707	5.9 (68)	3.5 (68)	11.9 (34)	1,270	18.0 (62)	12.0 (28)	2,000	3.8 (10)
Eau Claire	1,660	6.4 (15)	9.3 (66)	7,178	6.0 (75)	2.8 (38)	12.1 (37)	3,266	17.0 (49)	13.0 (42)	5,293	12.5 (77)
Florence C	77	* *	* *	342	7.9 (98)	2.6 (28)	11.1 (19)	160	15.0 (24)	11.9 (25)	236	5.5 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 33
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fond Du La	1,398	10.2 (79)	7.6 (29)	6,040	6.5 (91)	3.3 (60)	10.1 (9)	2,838	13.9 (11)	10.0 (7)	4,589	7.6 (40)
Forest Cty	150	6.0 (11)	12.0 (82)	680	2.6 (6)	3.2 (55)	15.7 (82)	335	12.8 (6)	18.8 (86)	510	9.2 (57)
GLITC-Bad	59	* *	* *	321	2.2 (3)	5.3 (92)	19.9 (90)	167	15.0 (24)	19.8 (87)	265	14.0 (85)
GLITC-Bara	50	* *	* *	186	3.2 (9)	4.3 (84)	26.9 (99)	80	* *	* *	136	15.4 (87)
GLITC-BRF	56	* *	* *	318	4.7 (33)	2.8 (38)	21.1 (93)	173	27.2 (97)	23.7 (92)	273	8.8 (51)
GLITC-CEX	20	* *	* *	111	1.8 (2)	1.8 (8)	18.0 (87)	57	* *	* *	86	* *
GLITC-LCO	125	4.0 (1)	12.0 (82)	559	2.5 (4)	3.0 (47)	21.5 (95)	257	20.6 (87)	23.3 (91)	417	17.5 (91)
GLITC-Mole	20	* *	* *	104	4.8 (38)	1.0 (1)	12.5 (46)	57	* *	* *	84	* *
GLITC-Pete	184	5.4 (7)	12.0 (82)	877	4.4 (26)	2.2 (19)	27.6(100)	443	22.6 (93)	29.1 (95)	621	4.3 (15)
GLITC-Pota	47	* *	* *	219	4.1 (21)	5.9 (96)	23.3 (96)	112	16.1 (34)	25.9 (93)	147	8.2 (45)
GLITC-Red	82	* *	* *	365	1.4 (1)	7.9(100)	20.5 (91)	182	19.2 (80)	29.1 (95)	286	6.3 (31)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC-St.C	88	* *	* *	462	2.8 (7)	1.5 (4)	24.7 (98)	249	20.9 (88)	26.5 (94)	374	11.0 (69)
GLITC-Stoc	69	* *	* *	386	4.7 (33)	3.9 (78)	21.2 (94)	215	18.1 (64)	16.3 (72)	299	17.1 (90)
Grant Cty	778	7.2 (31)	10.2 (74)	3,560	5.1 (44)	3.6 (71)	11.3 (22)	1,655	15.5 (31)	11.4 (18)	2,728	4.0 (13)
Green Cty	458	9.0 (65)	8.1 (39)	1,941	7.1 (95)	2.6 (28)	16.3 (84)	870	19.4 (81)	19.9 (88)	1,385	10.6 (65)
Green Lake	226	8.0 (53)	8.0 (36)	926	3.5 (12)	3.5 (68)	13.6 (57)	391	13.6 (10)	13.3 (48)	659	7.6 (40)
Greenfield	874	9.0 (65)	8.5 (48)	2,978	5.9 (68)	3.7 (74)	11.2 (21)	1,183	14.5 (17)	11.5 (19)	2,070	13.4 (84)
Hlth & Nut	2,890	9.6 (73)	6.6 (17)	10,960	6.3 (84)	3.2 (55)	14.1 (63)	4,660	16.7 (44)	13.9 (55)	7,998	7.6 (40)
Iowa Cty	280	8.9 (62)	5.7 (13)	1,063	5.9 (68)	1.9 (12)	13.9 (61)	441	18.8 (78)	14.5 (60)	753	9.6 (60)
Iron Cty	72	* *	* *	290	5.5 (50)	6.6 (98)	12.1 (37)	130	22.3 (91)	12.3 (34)	213	9.9 (62)
Jackson Ct	359	4.7 (5)	11.1 (78)	1,714	6.4 (89)	1.8 (8)	12.7 (49)	840	20.1 (85)	13.6 (52)	1,206	8.4 (46)
Janesville	1,653	8.8 (61)	8.0 (36)	6,342	4.6 (31)	3.3 (60)	12.3 (42)	2,674	17.8 (60)	13.7 (53)	4,399	7.9 (44)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 35
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	1,226	6.1 (12)	9.2 (63)	5,286	4.2 (23)	3.2 (55)	11.8 (32)	2,391	18.2 (66)	14.3 (58)		3,921	5.0 (20)
Juneau	479	6.9 (22)	9.2 (63)	2,250	5.6 (53)	1.9 (12)	14.8 (76)	1,079	17.5 (58)	14.1 (56)		1,712	6.8 (34)
Kenosha	3,316	9.2 (68)	7.0 (20)	12,805	7.4 (97)	2.1 (17)	14.7 (74)	5,391	16.2 (35)	13.1 (45)		9,030	11.4 (74)
Kewaunee C	229	7.9 (51)	7.9 (35)	1,018	4.2 (23)	1.8 (8)	17.7 (86)	474	21.5 (90)	16.0 (71)		762	12.7 (79)
La Crosse	1,774	7.7 (42)	8.5 (48)	7,135	6.3 (84)	4.4 (87)	11.6 (29)	3,273	18.5 (74)	12.4 (37)		5,316	6.9 (36)
Langlade	323	8.4 (58)	7.4 (25)	1,443	4.7 (33)	2.4 (22)	12.6 (48)	677	16.7 (44)	17.1 (78)		1,134	16.7 (89)
Lincoln	351	6.3 (13)	9.1 (61)	1,395	5.9 (68)	1.6 (5)	15.1 (80)	610	18.2 (66)	16.6 (75)		1,044	9.1 (56)
Madison WI	5,492	7.3 (33)	8.6 (50)	22,348	4.9 (40)	2.5 (25)	12.8 (50)	9,906	14.6 (20)	12.3 (34)		16,296	11.0 (69)
Manitowoc	1,109	9.2 (68)	7.3 (22)	4,973	4.9 (40)	3.4 (64)	14.3 (67)	2,312	17.9 (61)	17.6 (83)		3,624	7.1 (38)
Marathon	2,010	6.7 (16)	5.4 (10)	8,368	8.3 (99)	1.8 (8)	14.1 (63)	3,787	17.2 (54)	12.9 (41)		6,367	7.8 (43)
Marinette	654	7.8 (45)	8.6 (50)	3,088	4.2 (23)	7.7 (99)	8.9 (4)	1,511	8.7 (1)	4.9 (1)		2,344	3.3 (7)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 36
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marquette	179	7.8 (45)	4.5 (5)	754	4.1 (21)	2.8 (38)	18.3 (88)	331	18.1 (64)	15.7 (67)		527	5.7 (26)
Menominee	370	4.3 (3)	14.6 (87)	1,672	2.5 (4)	1.2 (2)	20.9 (92)	823	24.4 (96)	20.2 (89)		1,287	4.0 (13)
MilwaukeeJ	1,619	7.4 (36)	7.1 (21)	7,640	5.8 (67)	3.2 (55)	14.8 (76)	3,749	16.7 (44)	15.8 (69)		6,008	11.2 (73)
MilwaukeeK	1,448	14.4 (88)	4.2 (4)	6,690	6.4 (89)	4.0 (79)	11.6 (29)	3,263	16.4 (39)	12.1 (29)		5,266	21.1 (97)
MilwaukeeN	2,666	10.5 (81)	5.0 (8)	10,871	7.2 (96)	4.8 (89)	11.8 (32)	4,830	15.3 (28)	11.6 (21)		8,178	18.4 (92)
MilwaukMLK	2,036	14.1 (86)	4.5 (5)	9,060	5.7 (58)	5.5 (93)	10.7 (14)	4,228	12.0 (3)	8.8 (5)		6,970	20.7 (96)
Monroe Cou	757	7.3 (33)	9.1 (61)	3,339	5.6 (53)	1.6 (5)	15.6 (81)	1,470	16.3 (36)	14.8 (63)		2,438	5.4 (23)
N.E.W. East	2,077	7.8 (45)	7.4 (25)	9,263	4.5 (29)	2.9 (44)	14.3 (67)	4,549	18.2 (66)	17.7 (84)		7,161	4.5 (17)
N.E.W. West	2,270	7.0 (25)	8.4 (46)	9,063	5.7 (58)	4.3 (84)	12.8 (50)	4,072	12.1 (4)	10.0 (7)		6,800	8.8 (51)
Neenah	1,068	11.0 (84)	6.6 (17)	4,102	5.7 (58)	2.3 (21)	14.1 (63)	1,670	18.6 (76)	14.6 (61)		2,890	11.0 (69)
Oconto Cty	471	6.8 (20)	9.6 (71)	1,969	4.0 (19)	2.0 (14)	14.8 (76)	868	18.3 (70)	17.5 (82)		1,433	6.8 (34)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 37
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Oneida Cty	465	9.5 (72)	9.0 (58)	1,816	5.7 (58)	4.4 (87)	8.6 (1)	753	12.2 (5)	11.3 (15)		1,261	3.5 (8)
Oneida Tri	447	5.6 (8)	11.4 (81)	1,734	6.6 (94)	2.0 (14)	24.5 (97)	766	23.6 (94)	40.1 (97)		1,256	2.9 (5)
Oshkosh	1,075	8.7 (60)	6.7 (19)	4,116	6.3 (84)	2.6 (28)	13.7 (58)	1,725	13.3 (8)	11.5 (19)		2,905	9.8 (61)
Outagamie	2,039	8.5 (59)	6.5 (15)	7,771	3.9 (17)	5.2 (91)	11.3 (22)	3,549	18.2 (66)	13.0 (42)		5,172	7.3 (39)
Ozaukee	377	5.6 (8)	11.1 (78)	1,511	6.2 (81)	2.8 (38)	11.3 (22)	655	13.0 (7)	7.2 (2)		1,105	9.9 (62)
Pepin	94	* *	* *	450	3.1 (8)	3.6 (71)	12.4 (44)	209	14.4 (15)	14.8 (63)		332	12.0 (76)
Pierce Cty	472	7.6 (40)	9.5 (70)	2,156	5.9 (68)	2.0 (14)	13.5 (56)	1,028	17.3 (56)	11.9 (25)		1,637	12.6 (78)
Polk Cty	720	7.8 (45)	9.0 (58)	3,005	3.7 (14)	3.8 (76)	10.0 (8)	1,354	14.3 (14)	10.2 (9)		2,227	8.5 (48)
Portage Ct	914	8.3 (57)	7.4 (25)	3,641	5.7 (58)	3.0 (47)	10.8 (15)	1,529	14.5 (17)	10.3 (11)		2,628	3.6 (9)
Price Cty	251	7.2 (31)	8.8 (55)	1,412	4.0 (19)	3.1 (50)	13.0 (52)	717	18.5 (74)	13.4 (50)		1,138	3.0 (6)
Racine Hea	1,213	9.7 (76)	5.2 (9)	5,200	3.9 (17)	2.9 (44)	11.5 (28)	2,382	13.9 (11)	11.0 (13)		4,007	15.9 (88)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 38
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Richland	284	4.2 (2)	15.8 (88)	1,238	5.7 (58)	2.9 (44)	14.7 (74)	553	21.0 (89)	17.4 (81)	908	12.7 (79)
Rusk Cty	266	7.1 (28)	10.9 (77)	1,220	4.7 (33)	4.0 (79)	14.3 (67)	561	22.5 (92)	16.6 (75)	908	5.8 (27)
Sauk Cty	1,037	5.3 (6)	9.3 (66)	4,175	5.0 (43)	2.1 (17)	14.3 (67)	1,787	18.6 (76)	16.6 (75)	3,034	2.7 (4)
Sawyer Cty	271	7.7 (42)	9.2 (63)	1,316	3.8 (15)	3.4 (64)	10.8 (15)	633	16.6 (42)	12.3 (34)	1,017	4.8 (18)
Seeds Of H	2,088	7.8 (45)	8.1 (39)	9,718	3.3 (10)	3.2 (55)	13.1 (53)	4,708	18.8 (78)	15.7 (67)	7,503	13.0 (81)
Shawano Ct	539	9.6 (73)	5.4 (10)	2,492	6.0 (75)	2.2 (19)	13.2 (54)	1,240	14.7 (22)	13.1 (45)	1,971	6.4 (32)
Sheboygan	1,721	8.0 (53)	8.1 (39)	7,222	5.7 (58)	5.6 (95)	12.3 (42)	3,436	16.6 (42)	14.2 (57)	5,428	3.9 (11)
St. Croix	837	6.3 (13)	8.7 (52)	3,583	5.4 (47)	2.6 (28)	10.8 (15)	1,634	17.1 (52)	13.3 (48)	2,614	5.5 (24)
SWCAP	137	4.4 (4)	8.0 (36)	674	6.5 (91)	1.6 (5)	14.5 (73)	322	23.9 (95)	17.1 (78)	513	8.6 (50)
Taylor Cty	343	9.9 (78)	10.2 (74)	1,360	4.4 (26)	5.1 (90)	9.7 (6)	603	16.3 (36)	11.3 (15)	1,009	2.3 (1)
Trempealeau	546	7.3 (33)	7.7 (32)	2,253	4.7 (33)	2.6 (28)	16.8 (85)	976	16.9 (47)	17.8 (85)	1,596	10.8 (66)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 39
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators												(3,4)	
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Vernon Cou	489	7.0 (25)	8.8 (55)	2,240	5.7 (58)	2.4 (22)	12.5 (46)	1,028	17.1 (52)	14.6 (61)	1,635	5.1 (21)	
Vilas Cty	185	9.7 (76)	8.1 (39)	862	6.1 (79)	3.7 (74)	11.9 (34)	406	13.5 (9)	12.8 (40)	615	2.6 (3)	
Walworth C	1,473	7.0 (25)	7.3 (22)	6,341	5.6 (53)	2.6 (28)	13.8 (60)	2,833	15.6 (32)	15.0 (66)	4,725	9.5 (59)	
Washburn C	274	5.8 (10)	7.7 (32)	1,309	6.3 (84)	5.5 (93)	13.9 (61)	622	15.9 (33)	16.4 (74)	986	6.0 (29)	
Washington	1,161	7.1 (28)	6.5 (15)	4,686	5.6 (53)	2.6 (28)	11.4 (26)	2,087	15.2 (27)	10.3 (11)	3,415	9.3 (58)	
Waukesha C	1,945	9.1 (67)	7.6 (29)	7,346	5.4 (47)	2.7 (35)	14.4 (72)	2,979	16.5 (40)	13.5 (51)	4,798	6.1 (30)	
Waupaca Ct	680	9.6 (73)	8.4 (46)	2,588	5.7 (58)	3.6 (71)	13.4 (55)	1,048	15.3 (28)	11.2 (14)	1,843	3.9 (11)	
Waushara	353	7.1 (28)	10.5 (76)	1,460	6.0 (75)	3.3 (60)	14.8 (76)	647	19.5 (82)	15.9 (70)	1,050	9.9 (62)	
WC Capitol	2,858	10.9 (83)	4.9 (7)	11,566	5.9 (68)	3.1 (50)	12.4 (44)	4,901	14.6 (20)	9.6 (6)	8,164	20.2 (94)	
WC North	1,584	12.3 (85)	3.7 (2)	6,857	5.5 (50)	3.0 (47)	11.9 (34)	3,108	14.5 (17)	12.2 (33)	5,044	18.6 (93)	
WC Teutonia	1,492	14.3 (87)	2.3 (1)	6,873	8.3 (99)	2.8 (38)	13.7 (58)	3,262	18.0 (62)	14.3 (58)	5,237	20.3 (95)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 40
Run Date: 4 / 14 / 11

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
West Allis	1,123	9.3 (70)	8.3 (44)	4,291	4.6 (31)	3.4 (64)	10.5 (13)	1,799	18.3 (70)	13.2 (47)	3,013	11.9 (75)
Wood Cty	1,193	7.5 (38)	8.2 (43)	4,501	5.3 (46)	4.1 (82)	11.4 (26)	1,867	15.4 (30)	11.7 (22)	3,101	7.0 (37)
Wisconsin	94,006	8.5	7.4	390,326	5.6	3.2	13.1	176,130	16.6	13.8	286,072	10.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 41
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
16Th St Co	4,727	84.1 (1)	3,631	38.4 (2)	3,828	25.0 (2)	3,343	12.5 (60)	3,489	7.2 (43)	11,913	80.8 (71)	10,953	4.3 (7)
Adams Cty	389	64.5 (63)	289	16.6 (73)	305	9.8 (60)	280	14.6 (45)	286	6.3 (58)	933	76.0 (90)	883	20.0 (98)
Ashland Cty	349	73.4 (25)	284	37.0 (4)	306	22.5 (4)	262	30.2 (2)	277	20.2 (2)	913	89.8 (15)	859	7.6 (45)
Aurora	4,180	36.7 (89)	2,339	10.9 (84)	2,325	5.5 (83)	2,161	5.4 (81)	2,240	2.8 (82)	4,658	80.9 (70)	7,044	13.0 (86)
Barron Cty	912	72.4 (29)	604	22.7 (41)	586	8.4 (69)	620	17.6 (31)	596	6.4 (55)	1,594	83.3 (57)	1,906	6.6 (31)
Bayfield Cty	167	76.6 (12)	120	40.8 (1)	119	27.7 (1)	109	33.0 (1)	117	21.4 (1)	373	87.9 (19)	375	2.9 (1)
Beloit	1,611	57.1 (84)	1,060	20.9 (55)	1,104	11.2 (45)	1,000	7.7 (79)	1,039	3.7 (78)	2,970	80.8 (71)	3,410	5.5 (21)
Buffalo Cty	208	76.9 (11)	142	21.8 (51)	152	10.5 (56)	133	18.8 (26)	135	14.1 (5)	419	90.7 (11)	482	7.7 (48)
Burnett Cty	284	70.1 (40)	214	15.9 (74)	213	7.5 (75)	209	19.6 (21)	209	4.3 (75)	585	95.7 (2)	638	11.9 (78)
Calumet Ct	515	70.1 (40)	361	27.1 (21)	361	13.3 (22)	342	22.5 (14)	346	11.8 (13)	1,038	78.9 (79)	1,146	6.5 (30)
Chippewa C	1,038	69.8 (43)	697	20.4 (60)	745	9.5 (62)	617	17.0 (35)	634	7.4 (42)	2,122	86.5 (30)	2,292	7.6 (45)
Clark Cty	558	76.5 (14)	396	27.3 (20)	388	11.6 (42)	377	15.1 (43)	384	7.0 (49)	1,254	87.2 (27)	1,302	6.6 (31)
Columbia C	666	74.6 (22)	447	25.7 (26)	421	15.0 (16)	407	18.4 (28)	416	7.2 (43)	1,167	82.6 (61)	1,451	7.9 (51)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 42
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)		Number % (Rank)	
Crawford Cty	248	64.1 (64)	171 21.1 (54)	161 7.5 (75)	169 16.0 (40)	167 5.4 (66)	451 85.8 (35)		512 4.5 (9)	
Cudahy	1,468	66.7 (56)	939 20.8 (56)	969 9.3 (66)	852 10.0 (72)	858 4.1 (76)	2,383 70.3 (94)		2,978 13.8 (90)	
Dane Cty	0	* *	0 * *	0 * *	0 * *	0 * *	0 * *		2 * *	
Dodge Cty	1,071	80.4 (3)	705 31.1 (10)	708 16.8 (10)	700 26.6 (3)	693 13.7 (7)	2,001 91.4 (9)		2,338 5.8 (22)	
Door Cty	374	70.1 (40)	266 28.6 (15)	270 12.6 (28)	254 22.8 (13)	266 7.5 (39)	736 84.1 (51)		802 5.4 (19)	
Douglas Cty	952	71.0 (36)	696 22.4 (45)	718 11.0 (48)	696 20.7 (19)	689 13.2 (11)	1,798 82.4 (64)		2,083 7.7 (48)	
Dunn Cty	672	68.9 (48)	448 24.8 (30)	426 11.7 (39)	438 19.6 (21)	444 10.4 (17)	1,364 86.3 (31)		1,510 4.6 (10)	
Eau Claire	1,785	71.7 (34)	1,298 21.8 (51)	1,296 10.6 (55)	1,229 16.3 (37)	1,268 7.1 (46)	3,527 86.3 (31)		3,893 4.7 (11)	
Florence C	82	* *	62 * *	56 * *	60 * *	59 * *	172 91.9 (8)		201 10.9 (73)	
Fond Du La	1,541	68.5 (50)	1,100 23.9 (32)	1,130 11.6 (42)	1,072 19.6 (21)	1,082 7.2 (43)	3,060 87.4 (25)		3,388 7.1 (37)	
Forest Cty	162	60.5 (78)	105 14.3 (80)	114 2.6 (88)	98 * *	104 6.7 (52)	372 83.1 (58)		368 13.3 (88)	
GLITC-Bad	64	* *	54 * *	59 * *	50 * *	54 * *	186 79.6 (77)		157 14.6 (92)	
GLITC-Bara	53	* *	31 * *	31 * *	34 * *	28 * *	88 * *		115 19.1 (96)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 43
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)						Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
GLITC-BRF	65	* *	50	* *	49	* *	42	* *	47	* *	201	77.6 (82)
GLITC-CEX	27	* *	22	* *	19	* *	21	* *	21	* *	62	* *
GLITC-LCO	132	60.6 (76)	95	* *	108	2.8 (87)	89	* *	93	* *	179	97.8 (1)
GLITC-Mole	20	* *	13	* *	16	* *	16	* *	13	* *	62	* *
GLITC-Pete	201	61.7 (70)	138	19.6 (65)	147	10.9 (51)	130	16.2 (38)	133	9.0 (28)	482	84.9 (46)
GLITC-Pota	55	* *	29	* *	30	* *	30	* *	27	* *	130	89.2 (16)
GLITC-Red	84	* *	63	* *	63	* *	59	* *	61	* *	213	85.0 (44)
GLITC-St.C	94	* *	67	* *	69	* *	61	* *	64	* *	171	93.0 (4)
GLITC-Stoc	72	* *	61	* *	53	* *	54	* *	60	* *	225	81.8 (66)
Grant Cty	861	65.2 (60)	609	22.3 (47)	583	11.7 (39)	535	17.4 (33)	540	9.3 (26)	1,792	77.5 (83)
Green Cty	515	69.7 (44)	343	22.2 (48)	341	12.0 (34)	334	16.2 (38)	340	5.3 (67)	948	90.0 (13)
Green Lake	254	59.1 (80)	169	23.1 (39)	169	8.9 (67)	155	11.0 (66)	155	7.7 (38)	427	79.9 (74)
Greenfield	967	68.3 (53)	558	20.1 (61)	576	9.4 (63)	564	10.5 (70)	531	6.4 (55)	1,274	75.3 (91)
											1,805	12.5 (82)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 44
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Hlth & Nut	3,031	62.8 (68)	1,965	20.0 (62)	1,869	11.8 (36)	1,902	9.0 (76)	1,937	5.2 (68)	5,048	85.1 (42)	6,191	9.1 (61)
Iowa Cty	295	72.5 (28)	204	25.0 (28)	197	11.7 (39)	196	12.8 (57)	192	5.7 (65)	480	87.9 (19)	589	7.3 (40)
Iron Cty	82	* *	61	* *	58	* *	61	* *	59	* *	140	92.1 (6)	172	8.1 (55)
Jackson Ct	390	75.1 (17)	293	22.2 (48)	290	12.1 (30)	279	17.6 (31)	280	9.6 (21)	901	87.3 (26)	913	7.2 (39)
Janesville	1,781	59.4 (79)	1,123	19.3 (66)	1,133	12.1 (30)	1,096	10.9 (67)	1,091	6.2 (61)	2,866	83.4 (56)	3,647	9.7 (65)
Jefferson	1,332	73.3 (26)	975	25.5 (27)	953	13.0 (25)	905	13.3 (51)	922	6.0 (62)	2,597	87.9 (19)	2,961	7.1 (37)
Juneau	513	74.7 (21)	399	20.6 (57)	400	8.0 (72)	387	18.9 (25)	392	8.7 (31)	1,159	77.0 (87)	1,191	16.5 (93)
Kenosha	3,559	60.9 (73)	2,278	19.1 (68)	2,385	9.9 (59)	2,124	9.5 (75)	2,154	3.9 (77)	5,791	81.6 (69)	7,249	8.4 (56)
Kewaunee C	251	73.7 (24)	175	20.6 (57)	165	12.1 (30)	173	22.0 (16)	169	8.9 (30)	524	67.6 (97)	565	6.2 (26)
La Crosse	1,889	68.4 (52)	1,256	23.7 (34)	1,223	13.1 (24)	1,137	18.8 (26)	1,133	11.2 (15)	3,517	87.6 (24)	4,099	3.4 (3)
Langlade	343	65.3 (59)	247	15.8 (75)	238	7.6 (74)	220	12.3 (62)	224	6.7 (52)	736	85.2 (40)	794	12.7 (84)
Lincoln	377	60.7 (74)	252	15.1 (77)	230	7.8 (73)	227	11.9 (63)	231	5.2 (68)	661	87.0 (28)	790	11.3 (77)
Madison WI	6,035	79.4 (4)	4,142	38.0 (3)	4,120	22.8 (3)	3,997	17.1 (34)	3,971	9.8 (19)	10,660	83.9 (52)	12,657	5.1 (14)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 45
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Manitowoc	1,184	64.0 (65)	846	23.5 (36)	893	12.9 (27)	809	18.3 (29)	827	10.4 (17)	2,476	77.5 (83)	2,676	7.6 (45)
Marathon	2,170	60.6 (76)	1,549	18.9 (69)	1,403	9.4 (63)	1,414	14.3 (47)	1,465	7.5 (39)	4,097	82.6 (61)	4,669	5.4 (19)
Marinette	703	58.2 (83)	495	14.7 (78)	516	4.5 (86)	445	13.0 (54)	469	7.0 (49)	1,635	87.7 (22)	1,694	9.9 (68)
Marquette	210	61.4 (71)	132	25.8 (25)	124	17.7 (7)	129	12.4 (61)	122	10.7 (16)	352	75.3 (91)	446	12.3 (81)
Menominee	388	70.9 (37)	308	20.5 (59)	331	10.3 (57)	279	9.7 (74)	291	4.5 (74)	892	92.0 (7)	888	7.3 (40)
MilwaukeeJ	1,758	76.6 (12)	1,349	30.8 (11)	1,376	18.6 (5)	1,261	10.2 (71)	1,312	6.3 (58)	4,113	80.1 (73)	3,989	7.4 (42)
MilwaukeeK	1,577	54.1 (88)	1,117	8.1 (87)	1,226	4.8 (85)	1,033	4.8 (85)	1,104	2.3 (85)	3,500	68.7 (95)	3,652	16.8 (94)
MilwaukeeN	2,903	58.6 (82)	1,979	10.0 (86)	2,021	6.0 (79)	1,831	5.4 (81)	1,952	2.6 (83)	5,225	76.1 (89)	6,134	10.3 (69)
MilwaukMLK	2,248	55.6 (86)	1,592	10.7 (85)	1,714	5.8 (80)	1,420	5.4 (81)	1,529	2.5 (84)	4,524	72.8 (93)	4,910	17.5 (95)
Monroe Cou	829	70.7 (39)	571	23.3 (38)	593	14.5 (17)	539	13.5 (49)	551	8.7 (31)	1,590	84.5 (49)	1,846	9.5 (62)
N.E.W. East	2,219	69.0 (47)	1,555	21.7 (53)	1,667	12.6 (28)	1,433	9.8 (73)	1,487	5.8 (63)	4,927	77.7 (81)	5,006	5.0 (12)
N.E.W. West	2,485	63.2 (66)	1,711	20.0 (62)	1,713	8.5 (68)	1,558	13.5 (49)	1,588	7.1 (46)	4,309	79.7 (76)	5,146	9.7 (65)
Neenah	1,166	71.9 (32)	776	22.7 (41)	741	9.6 (61)	754	17.0 (35)	764	7.5 (39)	1,799	79.9 (74)	2,342	5.3 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 46
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Oconto Cty	502	61.2 (72)	346	13.6 (82)	348	6.6 (78)	322	10.6 (69)	339	4.7 (71)
Oneida Cty	506	67.4 (55)	334	19.2 (67)	307	9.4 (63)	318	14.2 (48)	329	4.9 (70)
Oneida Tri	453	66.0 (58)	312	14.4 (79)	339	5.6 (82)	287	10.8 (68)	304	6.3 (58)
Oshkosh	1,190	66.2 (57)	734	17.8 (70)	694	8.1 (70)	761	12.7 (58)	730	4.7 (71)
Outagamie	2,205	69.2 (46)	1,392	22.4 (45)	1,383	11.1 (46)	1,392	15.4 (41)	1,372	7.0 (49)
Ozaukee	434	78.6 (6)	294	33.0 (5)	273	17.2 (9)	305	23.0 (11)	289	9.0 (28)
Pepin	105	72.4 (29)	72	* *	70	* *	71	* *	70	* *
Pierce Cty	511	73.0 (27)	359	26.2 (23)	363	13.2 (23)	342	24.3 (7)	353	13.6 (10)
Polk Cty	792	78.3 (7)	573	27.1 (21)	543	11.0 (48)	573	24.8 (6)	556	9.5 (22)
Portage Ct	969	75.0 (18)	640	25.9 (24)	582	13.7 (20)	615	15.1 (43)	618	8.1 (37)
Price Cty	286	74.8 (20)	228	28.9 (14)	226	15.9 (11)	191	23.0 (11)	200	16.0 (3)
Racine Hea	1,278	55.9 (85)	884	19.7 (64)	892	10.9 (51)	806	8.9 (77)	854	4.6 (73)
Richland	315	79.4 (4)	232	32.3 (6)	224	14.3 (19)	214	22.0 (16)	219	9.1 (27)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 47
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Rusk Cty	287	68.6 (49)	207	15.5 (76)	222	8.1 (70)	170	11.8 (64)	175	9.7 (20)
Sauk Cty	1,146	80.8 (2)	815	31.9 (8)	738	17.5 (8)	805	23.9 (9)	793	9.5 (22)
Sawyer Cty	290	77.6 (9)	230	22.6 (43)	234	12.0 (34)	215	19.5 (24)	218	8.7 (31)
Seeds Of H	2,220	70.8 (38)	1,698	24.0 (31)	1,903	12.1 (30)	1,574	8.5 (78)	1,662	3.1 (80)
Shawano Ct	564	62.8 (68)	407	17.0 (71)	450	10.2 (58)	372	12.9 (56)	391	8.4 (35)
Sheboygan	1,882	69.3 (45)	1,275	23.9 (32)	1,355	13.0 (25)	1,217	12.7 (58)	1,233	6.4 (55)
St. Croix	932	77.6 (9)	630	27.8 (18)	598	15.6 (13)	599	25.5 (5)	613	13.7 (7)
SWCAP	162	67.9 (54)	112	25.0 (28)	104	11.5 (44)	106	11.3 (65)	109	3.7 (78)
Taylor Cty	367	74.1 (23)	246	28.5 (16)	243	11.1 (46)	232	23.7 (10)	235	14.9 (4)
Trempealeau	578	72.1 (31)	418	30.1 (12)	418	14.4 (18)	398	13.3 (51)	394	7.1 (46)
Vernon Cou	528	75.0 (18)	378	29.6 (13)	407	17.9 (6)	359	24.0 (8)	364	14.0 (6)
Vilas Cty	211	60.7 (74)	161	23.6 (35)	161	11.8 (36)	145	17.9 (30)	153	11.8 (13)
Walworth C	1,604	78.3 (7)	1,156	32.1 (7)	1,064	15.7 (12)	1,098	21.8 (18)	1,119	8.5 (34)
	3,071	85.6 (37)	3,540	6.4 (28)						

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 48
Run Date: 4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)					Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household		
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Washburn C	302	75.8 (15)	232	31.9 (8)	227	13.7 (20)	200	26.0 (4)	205	13.7 (7)	668	67.8 (96)	698	3.4 (3)
Washington	1,256	75.2 (16)	812	28.2 (17)	827	15.1 (15)	805	22.2 (15)	797	9.5 (22)	2,243	88.9 (17)	2,682	6.2 (26)
Waukesha C	2,162	71.4 (35)	1,356	27.5 (19)	1,244	15.3 (14)	1,369	14.4 (46)	1,343	6.6 (54)	3,209	83.0 (59)	4,378	6.4 (28)
Waupaca Ct	734	64.9 (61)	485	22.5 (44)	491	11.0 (48)	468	15.4 (41)	468	9.4 (25)	1,142	88.7 (18)	1,522	10.4 (71)
Wausara	392	64.8 (62)	268	23.1 (39)	272	10.7 (53)	255	13.3 (51)	253	8.3 (36)	689	77.5 (83)	853	9.6 (64)
WC Capitol	3,078	63.0 (67)	2,096	16.8 (72)	2,259	7.3 (77)	1,956	6.5 (80)	2,029	2.9 (81)	5,252	76.6 (88)	6,309	7.4 (42)
WC North	1,727	54.5 (87)	1,221	12.2 (83)	1,278	5.7 (81)	1,127	5.0 (84)	1,192	2.3 (85)	3,346	85.2 (40)	3,653	11.1 (75)
WC Teutonia	1,611	68.5 (50)	1,200	13.8 (81)	1,248	5.2 (84)	1,120	4.7 (86)	1,186	1.4 (87)	3,515	77.3 (86)	3,646	13.1 (87)
West Allis	1,239	71.8 (33)	788	23.4 (37)	794	11.8 (36)	769	13.0 (54)	770	5.8 (63)	1,927	84.7 (48)	2,465	11.1 (75)
Wood Cty	1,294	59.0 (81)	851	22.2 (48)	815	10.7 (53)	834	20.4 (20)	808	12.9 (12)	2,029	86.3 (31)	2,578	7.4 (42)
Wisconsin	101,253	67.3	69,468	23.0	70,189	12.2	65,601	13.6	66,924	6.8	189,884	82.4	216,634	8.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

